




FLAT BAR

FLATBAR



SL NO.	SECTION NO.	A	B	WT. RANGE KGS/12'
1	1001	16.75	3.85	0.635
2	1002	19.00	3.00	0.560
3	1003	19.00	6.00	1.120
4	1004	19.7	7.80	1.510
5	1005	20.00	3.00	0.585
6	1006	20.00	4.00	0.785
7	1007	20.00	5.00	0.990
8	1008	20.00	6.00	1.800
9	1009	20.00	10.0	1.970
10	1010	25.00	1.50	0.365
11	1011	25.00	3.00	0.735
12	1012	25.00	3.18	0.780
13	1013	25.00	6.00	1.475
14	1014	25.00	10.0	2.465
15	1015	25.00	12.0	2.960
16	1016	28.00	3.00	0.825
17	1017	28.00	6.00	1.655
18	1018	28.00	3.00	0.855
19	1019	30.00	6.00	1.775
20	1020	30.00	10.0	2.960
21	1021	30.00	12.0	3.550
22	1022	31.00	4.50	1.370
23	1023	38.00	3.00	1.120
24	1024	38.00	4.55	1.700
25	1025	38.00	6.00	2.250
26	1026	38.00	10.0	3.750
27	1027	40.00	12.0	4.500
28	1028	40.00	3.00	1.180
29	1029	40.00	6.00	2.365
30	1030	40.00	10.0	3.950
31	1031	40.00	12.0	5.920
32	1032	50.00	3.0	1.475
33	1033	50.00	6.0	2.960
34	1034	50.00	10.0	4.935
35	1035	50.00	12.0	5.925


SL NO.	SECTION NO.	A	B	WT. RANGE KGS/12'
36	1036	50.0	25.0	12.300
37	1037	60.0	6.00	3.550
38	1038	60.0	10.0	5.880
39	1039	60.0	12.0	7.110
40	1040	63.0	6.00	3.750
41	1041	65.0	8.00	5.000
42	1042	75.0	2.00	1.475
43	1043	75.0	3.00	2.220
44	1044	75.0	6.00	4.440
45	1045	75.0	10.0	7.405
46	1046	75.0	12.0	8.890
47	1047	80.0	3.00	2.365
48	1048	80.0	6.00	4.740
49	1049	80.0	10.0	7.900
50	1050	80.0	12.0	9.480
51	1051	100.0	3.00	2.960
52	1052	100.0	6.00	5.925
53	1053	100.0	10.0	9.880
54	1054	100.0	12.0	11.850
55	1055	120.0	3.00	3.350
56	1056	120.0	6.00	7.100
57	1057	120.0	10.0	11.855
58	1058	120.0	12.0	14.225
59	1059	125.0	3.00	3.700
60	1060	125.0	5.00	6.000
61	1061	125.0	6.00	7.400
62	1062	125.0	10.0	12.350
63	1063	125.0	12.0	14.820
64	1064	150.0	20.0	24.700
65	1065	150.0	3.00	4.440
66	1066	150.0	12.0	17.800
67	1067	150.0	6.00	8.890
68	1068	150.0	10.0	14.820
69	1069	160.0	10.0	15.700



FLAT BAR

SEC No. 7362

Weight :-0.560kg/12'



SEC No. :-8228

Weight:-1.975Kg/12'

