




Index Box






ARCHITECTURAL

ROUND BAR



SL NO.	SECTION NO.	Ø	WT. RANGE KGS/12'
1	1301	9.10	0.600-0.630
2	1302	9.60	0.700-0.730
3	1303	9.75	0.735-0.765
4	1304	10.5	0.850-0.880
5	1305	10.65	0.870-0.900
6	1306	11.4	0.900-1.020
7	1307	12.0	1.100-1.130
8	1308	15.5	1.860-1.900
9	1309	17.5	2.300-2.300
10	1310	19.0	2.800-2.830
11	1311	22.2	3.800-3.830
12	1312	25.4	4.000-4.050
13	1313	30.0	6.950-7.000
14	1314	31.75	7.800-7.850
15	1315	36.0	10.000-10.050
16	1316	38.0	11.200-11.250
17	1317	39.8	12.000-12.500
18	1318	40.0	12.400-12.450
18	1319		

SQUARE BAR




SL NO.	SECTION NO.	A	WT. RANGE KGS/12'
1	1351	12.0	1.400-1.450
2	1352	12.5	1.450-1.550
3	1353	12.7	1.550-1.600
4	1354	19.0	3.550-3.600
5	1355	25.4	6.350-6.400
6	1356	38.0	14.250-14.300
7	1357		
8	1358		
9	1359		
10	1360		



ARCHITECTURAL

TOWER BOLT




SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
1	1425	22.5	9.78	8.70	0.300-0.350
2	1426	26.0	10.6	9.60	0.350-0.400
3	1427	28.0	10.9	9.40	0.500-0.550
4	1428	28.0	11.3	9.80	0.550-0.600
5	1429	30.0	11.6	9.60	0.700-0.750
6	1430	30.0	12.0	10.5	0.600-0.650
7	1431	31.0	12.14	10.4	0.650-0.700
8	1432	31.0	12.36	10.5	0.700-0.750
9	1433	31.5	12.8	10.7	0.760-0.800
10	1434	35.0	12.6	11.4	0.550-0.600
11	1435	35.0	13.0	11.2	0.800-0.850
12	1436	36.0	14.0	11.7	1.100-1.150
13	1437	37.0	14.8	12.0	1.380-1.450




ARCHITECTURAL

BULB TEE



SECTION NO.	A	B	T	Weight (Kg/Mtr.)	Weight (Kg/12')
1715	24.0	24.0	0.55	0.91	0.330-0.450
1716	38.0	24.0	0.55	0.220	0.800-1.000

PLAIN TEE




SECTION NO.	A	B	T	WT. RANGE KGS/12'	WT. RANGE KGS/12'
1726	19.0	19.0	1.10	0.110	0.400-0.500
1727	25.0	25.0	1.10	0.150	0.500-0.550




ARCHITECTURAL

EQUAL ANGLE



SL NO.	SECTION NO.	A	B	T	WEIGHT KGS/12'
1	1736	19.0	19.0	2.20	0.700-0.800
2	1737	25.0	25.0	1.10	0.400-0.600
3	1738	25.0	25.0	2.00	0.900-0.1000
4	1739	25.0	25.0	2.40	1.300-1.500
5	1740	25.0	25.0	3.20	1.800-2.000
6	1741	38.0	38.0	1.95	1.400-1.500
7	1742	38.0	38.0	2.60	1.800-2.000
8	1743	50.0	50.0	3.00	2.800-3.000

SINGLE CHANNEL




SL NO.	SECTION NO.	A	B	T	WEIGHT KGS/12'
1	1767	9	9	0.95	0.200-0.250
2	1768	12	12	0.70	0.200-0.250
3	1769	25	50	1.50	1.400-1.500




ARCHITECTURAL

SINGLE PARTITION



SEC. NO.	A	B	T	WT RANGE KGS/12'
2361	50.00	25.0	0.85	1.400-1.600
2362	63.50	38.1	0.85	1.700-2.000
2363	63.50	38.1	0.95	2.000-2.200
2364	63.50	38.1	1.20	2.400-2.600
2365	63.50	38.1	1.35	2.800-3.000
2366	63.50	38.1	1.50	3.100-3.400
2367	63.50	38.1	2.00	4.050-4.500
2368	63.50	38.1	2.50	4.950-5.450
2369	63.50	38.1	3.00	5.900-6.300
2370	101.60	44.50	1.30	3.800-4.000
2371	101.60	44.50	1.50	4.400-4.800
2372	101.60	44.50	2.00	5.800-6.200
2373	101.60	44.50	2.50	7.150-7.550
2374	101.60	44.50	3.00	8.450-8.900

DOUBLE PARTITION




SEC. NO.	A	B	T	WT RANGE KGS/12'
2401	50.00	25.0	0.75	1.400-1.600
2402	63.50	38.1	0.70	1.700-2.000
2403	63.50	38.1	0.85	2.000-2.200
2404	63.50	38.1	1.00	2.400-2.600
2405	63.50	38.1	1.20	2.800-3.000
2406	63.50	38.1	1.50	3.300-3.600
2407	63.50	38.1	2.00	4.300-4.700
2408	63.50	38.1	2.50	5.200-5.600
2409	63.50	38.1	3.00	6.150-6.550
2410	101.60	44.50	1.20	3.800-4.000
2411	101.60	44.50	1.50	4.600-5.000
2412	101.60	44.50	2.00	6.000-6.400
2413	101.60	44.50	2.50	7.400-7.800
2414	101.60	44.50	3.00	8.750-9.150



ARCHITECTURAL

GLAZING CLIP




SEC. NO.	A	B	T	Weight KG/12'
2451	18.40	17.00	0.50	0.200-0.250
2452	18.40	17.00	0.60	0.260-0.300
2453	18.40	17.00	0.75	0.350-0.400
2454	18.40	17.00	0.85	0.400-0.450

SEC. NO:-2461

Weight:- 0.500KG/12'


GLAZING PATTA






ARCHITECTURAL

SEC. NO:-




SEC. NO.	A	B	T	Weight KG/12'
2531	47.0	44.45	0.95	2.000-2.200
2532	47.0	44.45	1.20	2.400-2.600
2533	47.0	44.45	1.40	2.800-3.000
2534	47.0	44.45	2.00	3.750-4.000
2535	85.0	44.45	1.35	3.800-4.200
2536	85.0	44.45	2.00	5.200-5.550
2537	85.0	44.45	3.00	7.500-8.000

SEC. NO:-




SEC. NO.	A	B	T	Weight KG/12'
2441	47.0	44.45	1.10	2.000-2.200
2442	47.0	44.45	1.30	2.400-2.600
2443	47.0	44.45	1.60	2.800-3.000
2444	47.0	44.45	2.00	3.500-3.800
2445	85.0	44.45	1.50	3.800-4.200
2446	85.0	44.45	2.00	5.000-5.400
2447	85.0	44.45	3.00	7.300-7.800

SEC. NO:-



SEC. NO.	A	B	T	Weight KG/12'
2551	47.0	44.45	1.05	2.000-2.200
2552	47.0	44.45	1.25	2.400-2.600
2553	47.0	44.45	1.50	2.800-3.000
2554	47.0	44.45	2.00	3.650-3.900
2555	85.0	44.45	1.50	3.800-4.200
2556	85.0	44.45	2.00	5.000-5.400
2557	85.0	44.45	3.00	7.300-7.700

SEC. NO:-




SEC. NO.	A	B	T	Weight KG/12'
2561	47.0	44.45	0.90	2.000-2.200
2562	47.0	44.45	1.10	2.400-2.600
2563	47.0	44.45	1.40	2.800-3.000
2564	47.0	44.45	2.00	3.800-4.100
2565	85.0	44.45	1.40	3.800-4.200
2566	85.0	44.45	2.00	5.300-5.700
2567	85.0	44.45	3.00	7.500-8.000




ARCHITECTURAL

SEC. NO:-2581




SR. NO.	A	B	T	Weight KG/12'
01	47.0	44.45	1.15	2.000-2.300


SEC. NO:-2591



SR. NO.	A	B	T	Weight KG/12'
01	47.0	44.45	1.10	2.400-2.700



SEC. NO.	A	B	T	C	Wt.(KG/12')
2501	114.30	44.45	1.12	25.00	3.750-4.000
2502	114.30	44.45	1.25	25.00	4.000-4.500




SEC. NO.	A	B	T	C	Wt.(KG/12')
2611	114.30	44.45	1.20	12.00	3.800-4.200

SEC NO. :-2013

DOOR SECTION

Weight :- 5.320kg/12'






ARCHITECTURAL


SEC No. 7341

Weight-0.950kg/12'




SEC No. 7342

Weight-0.725kg/12'




SEC No. 7343

Weight-6.800kg/12'




SEC No. 7372

Weight-0.600kg/12'




SEC. NO:-7583

Weight :- 1.470kg/12'



SEC No. 8070

Weight:-0.575Kg/12'






ARCHITECTURAL


SEC No. 7484

Weight :- 5.685kg/12'




SEC No. 7485

Weight :- 0.380kg/12'




SEC No. 7497

Weight :- 1.480kg/12'




SEC No. 7514

Weight :-1.685kg/12'




SEC. NO:-7571

Weight :-2.910kg/12'



SEC No. 7963

Weight:-4.550Kg/12'





**SURAT
ALLUMINIUM COMPANY**




HINDVER ALUMINIUM

ARCHITECTURAL


SEC No. 8065

Weight:-2.445Kg/12'




SEC No. 8071

Weight:-2.362Kg/12'




SEC No:-GA8170

Weight:5.250Kg/12'




SEC No. 8414

Weight:-1.850Kg/12'




SEC No. 8551

Weight:1.560Kg/12'



SEC No.:- 8750

Weight:-1.990Kg/12'





**SURAT
ALLUMINIUM COMPANY**




HINDVER ALUMINIUM

ARCHITECTURAL

SEC No. 8638

Weight:2.550Kg/12'



SEC No. 8954

Weight:4.115Kg/12'

